

ADA compliant 19" low height to 38" maximum height

- 19"-38" height range meets the Americans with Disabilities Act (ADA) low height requirement of 17"-19" for patient transfer, while ensuring ergonomic standing posture for staff
- Optional battery operation
- Dual rapid release drop sections provide unhindered access to the patient
- 65° Fowler positioning increases comfort of/for patients with shortness of breath
- +/- 15° Trendelenburg helps restore patient's blood pressure
- Improved features: new handrail design, improved single pedal braking system, Foley bag hook, hand control storage, battery operation



Deep imaging drop section accommodates more patients, assuring continuity of care



Bariatric capable patient weight capacity up to 600 lbs.

Static load capacity up to 1,000 lbs.

STANDARD FEATURES

Height Adjustability:	Maximum Patient Capacity:	Drop Sections:	Control System:	Braking:
19" to 38"	600 lbs	Imaging Drop Section	Hand Controller w/ Memory Positioning	Single Pedal Braking
	Maximum Load Capacity: 1,000 lbs	2-Way Sonographer Drop Section/Patient Back Support		

Additional Features:


Fold-down safety handrails
 Hand control storage
 Non-Pinch Flaps
 Foley Bag/Accessory Hook

PRODUCT SPECIFICATIONS

Length:	Width:
80.5"	30"

Foam:	Electrical:	Vinyl:
California Technical Bulletin 117 - Section E	100-240VAC 50/60Hz 5A	California T.B. 117-2013 NFPA 260- Cover Fabric - Class I UFAC Fabric - Class I

CERTIFICATIONS

Industry Standards:	Warranty:	Standard Color:
UL ANSI/AAMI ES60601-1 (2005) + AMD (2012), CAN/CSA C22.2 No. 60601 (2014)	5 Years	

NEW AND IMPROVED FEATURES

ADA Compliant transfer height of 19"
 Maximum height of 38" ergonomically accommodates standing sonographers
 Increased Patient weight capacity to 600 lbs
 Battery operation - avoid cords when preferred
 Barrier free edges with new hideaway brackets
 Updated and durable hand control
 Ability to utilize both hand and foot controls
 Carotid Head Support to ergonomically accommodate all scanning needs
 Underbed Lights

OPTIONAL FEATURES

Sonographer Extension
 Trendelenburg/Reverse Trendelenburg: 15°/15°
 -stabilizes patient blood pressure
 Fowler (Head Up) Positioning: 65°
 -increases comfort of patients with shortness of breath
 Battery Operation up to a full day of operation with no need for plugging in
 Foot Controller (non-memory)
 Pediatric/Geriatric Adapter
 IV Pole and Holder
 Padded Arm Board
 Carotid Head Support
 Underbed Lights
 Paper Roll Holder and Cutter
 Safe-T-Wedge Patient Positioning Wedge